Brain Research, 579 (1992) 359–360
Elsevier

Author Index

Abdullah, L., see Suarez-Roca, H., 187
Aguilar-Roblero, R., see Merchant-Nancy, H., 342
Allen, L.S., see Hines, M., 321
Almazan, G. and McKay, R., An oligodendrocyte precursor cell line from rat optic nerve, 234
Anastasijević, R., see Ljubisavljević, M., 246
Arvin, B., Le Peillet, E., Dürmüller, N., Chapman, A.G. and Meldrum, B.S., Electrolytic lesions of the locus coeruleus or 6-hydroxydopamine lesions of the medial forebrain bundle protect against excitotoxic damage in rat hippocampus, 279

Barson, A.J., see Slater, P., 219
Beckmann, H., see Konradi, C., 285
Bellush, L.L., see Henley, W.N., 211
Berkley, K.J., see Blomqvist, A., 17
Blomqvist, A. and Berkley, K.J., A reexamination of the spino-reticulo-diencephalic pathway in the cat, 17
Bossut, D.F., Whitsel, E.A. and Maixner, W., A parametric analysis of the effects of cardiopulmonary vagal electrostimulation on the digastric reflex in cats, 253
Brady, D.R., see Chandrasekaran, K., 333

Casada, J.H. and Dafny, N., Evidence for two different afferent pathways carrying stress-related information (noxious and amygdala stimulation) to the bed nucleus of the stria terminalis, 93
Chandrasekaran, K., Stoll, J., Brady, D.R. and Rapoport, S.I., Localization of cytochrome oxidase (COX) activity and COX mRNA in the hippocampus and entorhinal cortex of the monkey brain: correlation with specific neuronal pathways, 333
Chapman, A.G., see Arvin, B., 279
Crabbe, J.C., see Roberts, A.J., 296
Cras, P., see Perry, G., 350

Dafny, N., see Casada, J.H., 93
Davidoff, R.A., see Holohean, A.M., 8
Demura, H., see Suda, T., 303
Doany, W., see Koos, B.J., 291
Drucker-Colín, R., see Merchant-Nancy, H., 342
Duggan, A.W., Schaible, H.-G., Hope, P.J. and Lang, C.W., Effect of peptidase inhibition on the pattern of intraspinally released immunoreactive substance P detected with antibody microprobes, 261
Dürmüller, N., see Arvin, B., 279
D'Souza, S.W., see Slater, P., 219

Emson, P., see Hietanen-Peltola, M., 327

Fehlings, M.G. and Tator, C.H., The effect of direct current field polarity on recovery after acute experimental spinal cord injury, 32
Fonnum, F., Malthe-Sørenssen, D., Lund-Karlsen, R. and Oddan, E., Changes in neurotransmitter parameters in the brain induced by L-cysteine injections in the young rat, 74
Fujimoto, S., see Shimohama, S., 347

Galloway, P., see Perry, G., 350
Glick, S.D., see Maisonneuve, I.M., 87
Goldberg, S.R., see Marley, R.J., 43
Gorski, R.A., see Hines, M., 321
Graf, R., see Matsumoto, K., 309
Gross, P.M., see Shaver, S.W., 99
Gross, P.M., see Wall, K.M., 50

Hackman, J.C., see Holohean, A.M., 8
Heckers, S., see Konradi, C., 285
Heiss, .-D., see Matsumoto, K., 309
Henley, W.N., Bellush, L.L. and Notestine, M.A., Reemergence of spontaneous hypertension in hypoxia-protected rats returned to normoxia as adults, 211
Hietanen-Peltola, M., Pelto-Huikko, M., Rechardt, L., Emson, P. and Hökfelt, T., Calbindin D-28k-immunoreactivity in rat muscle spindle; a light and electron microscopic study, 327
Hines, M., Allen, L.S. and Gorski, R.A., Sex differences in subregions of the medial nucleus of the amygdala and the bed nucleus of the stria terminalis of the rat, 321
Hökfelt, T., see Hietanen-Peltola, M., 327
Holohean, A.M., Hackman, J.C., Shope, S.B. and Davidoff, R.A., Activation of 5-$HT_{1C/2}$ receptors depresses polysynaptic reflexes and excitatory amino acid-induced motoneuron responses in frog spinal cord, 8
Honda, Y., see Kuriyama, S., 227
Hope, P.J., see Duggan, A.W., 261

Ikeda, H., see Takahashi, M., 204
Ishikawa, T., see Yanagihashi, R., 79
Ito, S., see Kuriyama, S., 227

Jovanović, K., see Ljubisavljević, M., 246

Kalivas, P.W., see Striplin, C.D., 181
Karius, D.R., Ling, L. and Speck, D.F., Effects of intravenous bicuculline and strychnine on inspiratory inhibitory responses in the cat, 270
Kawai, M., see Perry, G., 350
Kawamata, T., see McGeer, P.L., 337
Keith, L.D., see Roberts, A.J., 296
Keller Jr., R.W., see Maisonneuve, I.M., 87
Kimura, J., see Shimohama, S., 347
Kishimoti, Y., see Yamamoto, T., 315
Konradi, C., Kornhuber, J., Sofic, E., Heckers, S., Riederer, . and Beckmann, H., Variations of monoamines and their metabolites in the human brain putamen, 285
Koos, B.J., Murray, T.F. and Doany, W., Anemia up-regulates pontine A_1 adenosine receptors in fetal sheep, 291
Kornhuber, J., see Konradi, C., 285
Kuriyama, S., Yoshimura, N., Ohuchi, T., Tanihara, H., Ito, S. and Honda, Y., Neuropeptide-induced cytosolic Ca^{2+} transients and phosphatidylinositol turnover in cultured human retinal pigment ephithelial cells, 227

Lang, C.W., see Duggan, A.W., 261
Le Peillet, E., see Arvin, B., 279
Levy, A., Matovelle, M.C., Lightman, S.L. and Young III, W.S., The effects of pituitary stalk transection, hypophysectomy and thyroid hormone status on insulin-like growth factor 2-, growth hormone releasing hormone-, and somatostatin mRNA prevalence in rat brain, 1
Lightman, S.L., see Levy, A., 1
Ling, L., see Karius, D.R., 270
Ljubisavljević, M., Jovanović, K. and Anastasijević, R., Changes in discharge rate of cat hamstring fusimotor neurones during fatiguing contractions of triceps surae muscles, 246
Lund-Karlsen, R., see Fonnum, F., 74

Madison, S., see Suarez-Roca, H., 187
Maisonneuve, I.M., Keller Jr., R.W. and Glick, S.D., Interactions of ibogaine and D-amphetamine: in vivo microdialysis and motor behavior in rats, 87
Maixner, ., see Suarez-Roca, H., 187
Maixner, W., see Bossut, D.F., 253
Maixner, W., see Suarez-Roca, H., 195
Malthe-Sørenssen, D., see Fonnum, F., 74
Marley, R.J. and Goldberg, S.R., Pharmacogenetic assessment of the effects of carbamazepine on cocaine-kindled and cocaine-induced seizures, 43
Matovelle, M.C., see Levy, A., 1
Matsumoto, K., Graf, R., Rosner, G., Shimada, N. and Heiss, .-D., Flow thresholds for extracellular purine catabolite elevation in cat focal ischemia, 309
McConnell, S., see Slater, P., 219
McGeer, P.L., Kawamata, T. and Walker, D.G., Distribution of clusterin in Alzheimer brain tissue, 337
McKay, R., see Almazan, G., 234
Meldrum, B.S., see Arvin, B., 279
Merchant-Nancy, H., Vázquez, J., Aguilar-Roblero, R. and Drucker-Colín, R., c-*fos* proto-oncogene changes in relation to REM sleep duration , 342
Murray, T.F., see Koos, B.J., 291

Nakano, Y., see Suda, T., 303

Notestine, M.A., see Henley, W.N., 211

Oddan, E., see Fonnum, F., 74
Ogawa, M., see Takahashi, M., 204
Ohta, H., see Takahashi, M., 204
Ohuchi, T., see Kuriyama, S., 227
Oka, H., see Yamamoto, T., 315

Pelto-Huikko, M., see Hietanen-Peltola, M., 327
Perry, G., Richey, P., Siedlak, S.L., Galloway, P., Kawai, M. and Cras, P., asic fibroblast growth factor binds to filamentous inclusions of neurodegenerative diseases , 350
Pierce, R.C. and Rebec, G.V., Dopamine-, NMDA- and sigma-receptor antagonists exert differential effects on basal and amphetamine-induced changes in neostriatal ascorbate and DOPAC in awake, behaving rats, 59

Rapoport, S.I., see Chandrasekaran, K., 333
Rebec, G.V., see Pierce, R.C., 59
Rechardt, L., see Hietanen-Peltola, M., 327
Richey, P., see Perry, G., 350
Riederer, ., see Konradi, C., 285
Roberts, A.J., Crabbe, J.C. and Keith, L.D., Genetic differences in hypothalamic-pituitary-adrenal axis responsiveness to acute ethanol and acute ethanol withdrawal, 296
Rogers, M.W., Influence of task dynamics on the organization of interlimb responses accompanying standing human leg flexion movements, 353
Rosner, G., see Matsumoto, K., 309

Sato, Y., see Suda, T., 303
Schaible, H.-G., see Duggan, A.W., 261
Shimada, N., see Matsumoto, K., 309
Shimohama, S., Fujimoto, S., Taniguchi, T. and Kimura, J., hosphatidylinositol-specific phospholipase C activity in the postmortem human brain: no alteration in Alzheimer's disease , 347
Shope, S.B., see Holohean, A.M., 8
Siedlak, S.L., see Perry, G., 350
Slater, P., McConnell, S., D'Souza, S.W. and Barson, A.J., Age-related changes in binding to excitatory amino acid uptake sites in human cerebellum, 219
Sluka, K.A. and Westlund, K.N., Spinal projections of the locus coeruleus and the nucleus subcoeruleus in the Harlan and the Sasco Sprague–Dawley rat, 67
Sofic, E., see Konradi, C., 285
Speck, D.F., see Karius, D.R., 270
Stoll, J., see Chandrasekaran, K., 333
Striplin, C.D. and Kalivas, P.W., Correlation between behavioral sensitization to cocaine and G protein ADP-ribosylation in the ventral tegmental area, 181
Suarez-Roca, H. and Maixner, W., Morphine produces a multiphasic effect on the release of substance P from rat trigeminal nucleus slices by activating different opioid receptor subtypes, 195
Suarez-Roca, H., Abdullah, L., Zuniga, J., Madison, S. and Maixner, ., Multiphasic effect of morphine on the release of substance P from rat trigeminal nucleus slices, 187
Suda, T., Nakano, Y., Tozawa, F., Sumitomo, T., Sato, Y., Yamada, M. and Demura, H., The role of corticotropin-releasing factor and vasopressin in hypoglycemia-induced proopiomelanocortin gene expression in the rat anterior pituitary gland, 303
Sumitomo, T., see Suda, T., 303

Takahashi, M., Ogawa, M., Ohta, H. and Ikeda, H., Vasoactive intestinal polypeptide presynaptically enhances the synaptic transmission in cultured sympathetic neurons, 204
Taniguchi, T., see Shimohama, S., 347
Tanihara, H., see Kuriyama, S., 227
Tator, C.H., see Fehlings, M.G., 32
Tozawa, F., see Suda, T., 303

Vázquez, J., see Merchant-Nancy, H., 342

Wainman, D.S., see Shaver, S.W., 99
Walker, D.G., see McGeer, P.L., 337
Wall, K.M. and Gross, P.M., Efferent microvascular responses to electrical stimulation of the area postrema in rats, 50
Wall, K.M., see Shaver, S.W., 99
Westlund, K.N., see Sluka, K.A., 67
Whitsel, E.A., see Bossut, D.F., 253

Yamada, M., see Suda, T., 303
Yamamoto, T., Yoshida, K., Yoshikawa, H., Kishimoti, Y. and Oka, H., The medial dorsal nucleus is one of the thalamic relays of the cerebellocerebral responses to the frontal association cortex in the monkey: horseradish peroxidase and fluorescent dye double staining study, 315
Yanagihashi, R. and Ishikawa, T., Studies on long-term potentiation of the population spike component of hippocampal field potential by the tetanic stimulation of the perforant path in rats: effects of a dopamine agonist, SKF-38393, 79
Yoshida, K., see Yamamoto, T., 315
Yoshikawa, H., see Yamamoto, T., 315
Yoshimura, N., see Kuriyama, S., 227
Young III, W.S., see Levy, A., 1

Zuniga, J., see Suarez-Roca, H., 187

(contents continued)

c-*fos* proto-oncogene changes in relation to REM sleep duration
H. Merchant-Nancy, J. Vázquez, R. Aguilar-Roblero and R. Drucker-Colín (Mexico) 342
Phosphatidylinositol-specific phospholipase C activity in the postmortem human brain: no alteration in Alzheimer's disease
S. Shimohama, S. Fujimoto, T. Taniguchi and J. Kimura (Japan) 347
Basic fibroblast growth factor binds to filamentous inclusions of neurodegenerative diseases
G. Perry, P. Richey, S.L. Siedlak, P. Galloway, M. Kawai and P. Cras (USA) 350
Influence of task dynamics on the organization of interlimb responses accompanying standing human leg flexion movements
M.W. Rogers (USA) 353

Corrigendum 357

Author Index 359